T3202A 016 | T3202A 020 | T3202A 022 T3202A 025 | T3202A 032 | T3202A 038 | T3202A 040

PRO COBALT Vortect

SHEET STEEL HOLE SAW WITH ARBOR



Slimline design reduces frictional heat build-up and prevents tooth burn out



SHEET STEEL HOLE SAW WITH ARBOR



Flared Collar

1/4" -6.35mm Hex Quick Lock Shank 8% Cobalt M42 Steel



1/4" - 6.35mm hex quick lock shank compatible with impact drills

Flared collar prevents over-drilling

Variable pitch teeth give reduced vibration and faster debris removal

Slimline design reduces frictional heat build-up and prevents tooth burn out

8% Cobalt M42 steel increases durability and heat tolerance



PRO COBALT | Vortec

SHEET STEEL HOLE SAW WITH ARBOR

New arbor.

Threaded connection between arbor and hole saw.

Replaceable pilot bit and spring.



Sizes Available:

T3202A 016 - 16mmØ

T3202A 020 - 20mmØ

T3202A 022 - 22mmØ

T3202A 025 - 25mmØ

T3202A 032 - 32mmØ

T3202A 038 - 38mmØ

T3202A 040 - 40mmØ

PRO COBALT | Vortecc

SHEET STEEL HOLE SAW WITH ARBOR



