

JC71745

Skypack QR

Skypack QR LED Batten 6ft Single IP20 4000K 54W 6480Lm

Features & Benefits

- Intelligent press release buttons for simple installation
- Ultra efficient up to 120 lumens per circuit Watt
- Suspended LED tray for easy installation
- Press fit terminals loop in loop out
- · Rear and end conduit entry points
- Emergency and microwave dimmable and on/off and PIR options
- 2 years standard warranty extends to 5 years when registered within the first year of purchase (See Website for terms and conditions)
- This product contains a light source of energy efficiency class E











General Information

Mounting

Trade Name

Environment

Product Group

Color Finish

Product Shape

Product Range

Overall Dimensions

Length (mm)

Width (mm)

Height (mm)

Product Weight(kg)

Light Source

Light Source Features

Recommended product location

Method of fix

IP Rating

Origin of manufacturer

Warranty

Surface Mounted

Skypack™ QR

Indoor

LED - Surface

White

Rectangular

Skypack™

1828 x 70 x 76.5

1828

70

76.5

2.189

LED

Neutral White

Domestic, Commercial and Industrial Applications

Surface with Conduit Entry

IP20

Made In China

5 Year Warranty (See Website for terms and conditions)

JCC Driver manufacturer

LED manufacturer/type **XINDA**

Lighting Product Type 1 **Linear Lighting**

Customs Tariff code** 9405119090

Electrical

220-240 Voltage Rating

Primary Running Current(Amp) 0.34

Inrush current(Amps)

Operating Frequency Hz 50/60Hz

1400 Secondary running current(mA)

Constant Current or Constant Voltage CC

Luminaire Circuit Wattage 54

Class ī

EMC Compliant (EN55015) Yes

Power Factor Correction 0.9

Input Electrical Connections Live, Earth & Neutral

Dimmable No

Thermals

Operating Temperature Range °C 0-45

Performance Data

LED Life (Hours)* 54000

This product contains a light source of energy efficiency **Energy Rating**

class E

6480 Actual Lumen Output

Lumens Per Circuit Watt 120

Color Rendering Index 80-89

CRI: Ra 80

Correlated Color Temperature 4000K

120 Beam Angle °

LOR (Light Output Ratio) % 100

Photometry Available Yes

Construction

Primary Material Steel

Outer Diffuser Polycarbonate

Packaging

Product Packaged Weight(kg) 2.542

Quantity Per Outer Carton

Outer carton(L)- cm 187

32

Outer carton(W)-cm

Outer carton(H)- cm

Outer carton Gross weight- kg

Product Bar Code EAN-13 Number

Outer carton Bar Code ITF-14 Number 15052544080484

Standards & Approvals

Outer carton Net weight-kg

Manufactured in accordance to

CE Marked

UKCA Marked

Date code/Purchase order No.

WEEE symbol

Certificate Of Conformity

Accredited Members

BS EN 60598:2015, 2-1,2-22

Yes

21.5

13.13

16.47

5052544080487


Yes


Yes

Yes

Available on request

LIA, ISO9001-2015, ISO14001-2015







*Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT. Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk Company Registration Number: 03044848 | VAT Number: 918544112