

ZV810N

Motion Sensor PIR Light Switch

Features & Benefits

- ON/OFF/AUTO slide switch function (Switch can be enabled or disabled)
- Replaces existing One or Two Way light switches - 2-Wire
- Supplied with 9V battery
- Concealed front panel with retaining screw
- Red LED motion indication
- Adjustable time ON setting
- Adjustable lux (Light level) setting



Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Surface
Earth Class Rating	Class II
Operating Temperature	0°C to 40°C
Ingress Protection Rating	IP20
Connection	2-Wire
Battery Type	9V Battery (Replaceable)
Power Reserve	Depends On Usage
Approved Mounting Height (m)	1.1
Back Box Minimum Depth (mm)	25
Motion Detection (m)	8 Front, 4 Side
Detection Angle	170°

Data sheet

ZV810N

Light / Automatic Light Switches

Switch Type	Two Way
Number Of Channels	1
Switch Rating	400W LED, 250W Fluorescent, CFL (Low-loss or Electronic Ballast), 2000W Halogen
ON Time Adjustment	10 Seconds - 15 Minutes
LUX Level	1 to 10
Permanent ON Facility	Yes (Slider Switch)
Multiple Unit Support	Yes (2 Units)
Cable Entry(s)	Back Entry

General

Weight (g)	150
Height (mm)	86
Width (mm)	86
Depth (mm)	38
Protruding Depth (mm)	29.5
Body Construction	Polycarbonate
Product Colour	White
EAN Number	5012483015049
Guarantee Period	3 Years
Trade Tariff Commodity Code	8536508090

Line Diagrams

